



TECHNICAL DATA SHEET

Order reference	UN15-2DP-E
Article number	813844

Date	4-11-11	Replaces	03-31-08	No. Pages	1
-------------	---------	-----------------	----------	------------------	---

Product Description:

Style	Economical Blanket Rolls; high strength perforation down the middle for the 19 cm wide dimension, & cross-wise for the 23cm long dimension.
Item Size (each)	38 cm wide by 46 m long (400 pads per box)
Color	Green
Composition	Polypropylene >98%, Surfactant < 1.0%, color pigment < 0.1 %
Structure	96% natural white meltblown nonwoven fibers(<10 microns) 4% white spunbond nonwoven coverstock(<15-30 microns)
Technology	Meltblown + spunbond
Absorbency	Universal (Hydrophilic + Oleophilic)
Bonding	Bonded (staggered pattern) + Mechanical entanglement

Intended Application	Low-Lint Chemical Sorbent for Water, Oil, or Solvent Base Liquids.
-----------------------------	--

Absorbency Capacity	147 l per bale (saturated; medium viscosity-12.5x)
----------------------------	--

Packaging Description:

Package configuration	1-Case	Pkg. Weight	11.3 kg (10.2 kg)
Items per Package	2-Roles/Case	Pkg. Dimensions	45.5cm x 45.5cm x 77.5cm H
Container type	Carton		

Physical Properties:

<u>Parameter</u>	<u>SPC Test Method</u>	<u>Units</u>	<u>Nominal</u>	<u>(+/-)Tolerance</u>
Basis Weight	SPCTM-002	G/M2	290	29
Caliper	SPCTM-020	mm	4.5	0.5
Absorbency (med visc)	SPCTM-004B	gL/gS	12.5	2
Tensile Strength	SPCTM-007	daN	11.5	1.1
Color	Visual	-----	Green	per standard

The above properties are “nominal” values used for PROCESS CONTROL when the product is produced and/or inspected. Performance “nominals” may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. ** The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

Attributes	Product will be free of foreign material contamination, rips, holes, and tears.
Labeling	Each package to be clearly labeled with Company Name, Address, Item No., Date, and/or Package Code (Bar Code).
Certification	Make no changes in basic process or composition without notifying customer. Claims for non-conformance of goods must be made within 60-days of delivery.